



MINIMUM AREA CLEARANCE

Note: Required clearance to the South increases relative with number of wells drilled



THIS DRAWING IS OWNED BY AND CONTAINS PROPRIETARY INFORMATION OF CACTUS DRILLING COMPANY, L.L.C. IT IS CONDITIONALLY LOANED AND IS TO BE RETURNED UPON COMPLETION OF WORK OR UPON EARLIER REQUEST. THE BORROWER BY RECEIVING IT HAS AGREED NOT TO REPRODUCE NOR TO COPY IT IN WHOLE OR IN PART NOR TO FURNISH INFORMATION FROM IT TO OTHERS NOR TO MAKE ANY USE OF IT OR THE INFORMATION CONTAINED THEREIN EXCEPT FOR OR UNDER SPECIFIC LICENSE FROM CACTUS DRILLING COMPANY, L.L.C.

SYMBOL	DATE	REVISION	BY

TOLERANCE UNLESS OTHERWISE SPECIFIED DIMENSIONS IN INCHES	
DECIMAL	DIMENSION
CONCENTRICITY	
X.X	± .1
X.XX	± .06
X.XXX	± .010
ANGLES	± 5 DEGREES

CUSTOMER INFO:	
FILE:	R-141_DS.dwg
DWG BY:	J.D.B.
CHK BY:	07/08/19
APP BY:	
SCALE:	NTS

CACTUS Drilling Co., L.L.C.
Oklahoma City, OK, U.S.A.
Tel: 405-577-5347 Fax: 405-577-9306

TITLE:	
RIG 141 DRILL SITE	
SIZE A	CAC141-A001
SHEET	1/1